



# Bleeding Disorders Awareness Month OCTOBER 2024

W	P	T	R	E	A	T	M	E	N	T	Z	P	K	K
F	U	I	A	B	O	A	Z	N	T	H	K	O	V	N
A	V	L	B	Y	K	F	M	U	A	S	I	R	Q	A
C	I	K	P	A	B	A	K	E	C	Z	Z	T	U	K
T	W	R	E	U	H	W	F	B	O	Y	A	Q	G	A
O	B	H	H	A	E	M	O	P	H	I	L	I	A	H
R	R	Y	R	L	R	T	D	F	T	B	N	Z	Y	S
J	U	V	V	S	E	F	F	J	M	Z	L	F	Z	D
K	I	P	Z	E	D	N	B	P	R	I	C	E	F	V
C	S	P	V	J	I	V	T	Y	I	A	L	V	E	C
P	E	R	L	O	T	N	W	Q	R	Q	W	D	J	D
G	R	C	M	I	A	Q	D	D	S	W	A	D	T	S
Z	S	F	O	N	R	D	S	E	V	E	R	E	F	L
G	Q	D	I	T	Y	J	F	M	R	E	C	S	Z	F
H	Q	C	O	Z	V	Y	M	O	D	E	R	A	T	E

**Can you find the words?**

Bleed	Bruise	Factor	Haemophilia	Moderate
Joint	Mild	Port	Severe	Hereditary
	Treatment	Vein	VWD	

# Word find glossary:

<b>BLEED</b>	In haemophilia, bleeding episodes usually occur inside the body, with bleeding often in muscles and joints, such as ankles, knees and elbows
<b>BRUISE</b>	An injury causes tiny blood vessels called capillaries to burst. Blood gets trapped below the skin's surface, which causes a bruise
<b>FACTOR</b>	A blood plasma protein that is an agent in the clotting process
<b>HAEMOPHILIA</b>	An inherited bleeding disorder where the blood doesn't clot properly. It is caused when there is not enough clotting factor in the blood
<b>HEREDITARY</b>	Passed in the genes from parent to child
<b>JOINT</b>	The place where two or more bones come together
<b>MILD</b>	5% – 40% of normal clotting factor level - the severity of haemophilia depends on the amount of clotting factor in the blood.
<b>MODERATE</b>	1% – 5% of normal clotting factor level - the severity of haemophilia depends on the amount of clotting factor in the blood.
<b>PORT</b>	A device put under the skin to give easy access to a vein for treatment and to protect veins from continued needle sticks.
<b>SEVERE</b>	Less than 1% of normal clotting factor level - the severity of haemophilia depends on the amount of clotting factor in their blood.
<b>TREATMENT</b>	Medical care given to a patient for an illness or injury
<b>VEIN</b>	Blood vessel which carries blood from any part of the body back to the heart
<b>VWD</b>	People with VWD (von Willebrand disease) have a problem with a protein in their blood called von Willebrand factor (VWF) that helps control bleeding. They do not have enough VWF or it doesn't work properly, and it takes longer for blood to clot and bleeding to stop
<b>To learn more visit <a href="http://haemophilia.org.au">haemophilia.org.au</a></b>	

## Word find solution:

W	P	T	R	E	A	T	M	E	N	T	Z	P	K	K
F	U	I	A	B	O	A	Z	N	T	H	K	O	V	N
A	V	L	B	Y	K	F	M	U	A	S	I	R	Q	A
C	I	K	P	A	B	A	K	E	C	Z	Z	T	U	K
T	W	R	E	U	H	W	F	B	O	Y	A	Q	G	A
O	H	H	A	E	M	O	P	H	I	L	I	A	H	
R	Y	R	L	R	T	D	F	T	B	N	Z	Y	S	
J	U	V	V	S	E	F	F	J	M	Z	L	F	Z	D
K	I	P	Z	E	D	N	B	P	R	I	C	E	F	V
C	P	V	J	V	T	Y	I	A	L	V	E	C		
P	R	L	O	T	N	W	Q	R	Q	W	D	J	D	
G	R	C	M	I	A	Q	D	S	W	A	D	T	S	
Z	S	F	O	N	R	D	S	E	V	E	R	E	F	L
G	Q	D	I	T	Y	J	F	M	R	E	C	S	Z	F
H	Q	C	O	Z	V	Y	M	O	D	E	R	A	T	E

- BLEED
- BRUISE
- FACTOR
- HAEMOPHILIA
- HEREDITARY
- JOINT
- MILD
- MODERATE
- PORT
- SEVERE
- TREATMENT
- VEIN
- VWD

